

CLICK FIT LAMINATE FLOORING



Xpressions 8/32

CLICK FIT LAMINATE FLOORING



ZURICH

44460



BERLIN

44462



COPENHAGEN

44464



AMSTERDAM

44466



MARSEILLE

44468



DUBLIN

44470



HELSINKI

44472



LONDON

44474



ZURICH
44460

BERLIN
44462

COPENHAGEN
44464

AMSTERDAM
44466

MARSEILLE
44468

DUBLIN
44470

HELSINKI
44472

LONDON
44474

Xpressions 8/32 Laminate Flooring

megaloc



Anti Bacterial




Realistic decor



PVC free



Extremely resistant



4V groove

Carbon-negative production based on highly efficient industrial processes



Exclusive product-design consistently oriented towards recycling



Fully integrated production-process on 1 site




Choose from exclusive designs and colours



Standards		Xpressions 8/32
CLASSIFICATION		
Product Performance	EN 13329	AC-4
European Classification	DIN EN 13329	32
PERFORMANCE		
Fire Reaction	EN 13501-1	Cfl -s1
Abrasion Resistance	EN 13329	≥ 4000 cycles
Impact Resistance	EN 17368 EN 13329	≥ 750 mm
Residual Indentation	EN ISO 24343-1	≤ 0.05 mm
Castor Chair Resistance	EN 425	no damage with type W after 25 000 cycles
Furniture Leg Resistance	EN ISO 16581	no damage with type 0
Slip Resistance	EN 13893	DS
Stain Resistance	EN 438-2	Class 5 (group 1 and 2), Class 4 (group 3)
Thermal Conductivity	EN 12667	≥ 0.075 W/mK
Thermal Resistance	EN 12667	R ≤ 0.06 (m²K)/W
Electrostatic Behaviour	EN 1815	≤ 2 kV
ENVIRONMENT		
VOC Emissions	ISO 160001-6	<100 / A+
Formaldehyde	ISO 16516	E1
DESCRIPTION		
Product Description	Laminate flooring with Megaloc Click-System	
Usage Type	Class 32: domestic and moderate commercial use	
Guarantee	10 years for heavy domestic use, 5 years for moderate commercial use	
CONDITIONING		
Xpressions 8/32 box of 9 planks of 1286 x 194 x 8mm - 2.245m² per box (44 boxes per pallet)		
IMPLEMENTATION - MAINTENANCE TIPS		
WWW.LIBERTY-FLOOR.COM		

Patented Click System

megaloc



- ① 4 Sided Bevel
- ② Overlapping Bevels
- ③ Durable Force Locking Connection



Installation Demo



LIBERTY[®]

FLOOR SOLUTIONS

**Wood sourced from
sustainable and
certified forestry**

